



Bullzen Iguana Velocity Spinning Reel

Iguana Velocity Spinning Reel: If you are looking for the ultimate tool for our fishing, the IGUANA VELOCITY is here to meet all your needs. With high quality construction and outstanding performance, this reel is the ultimate machine for Salt Water conditions. The mechanism is equipped with the Precision Module Gear, a high precision mechanism designed to cut every gear tooth and shape with absolute precision. In addition, to completely eliminate noise and irregularity during traction, it has a silent mechanism that improves and minimizes irregularity resulting in a smooth motion. All the components are mainly made of stainless steel and aluminum, and it is equipped with salt-resistant grease to protect against corrosion and maintain the smooth movement of the mechanism. The carbon handle offer comfort and feel that cannot be matched. The steel main gear shaft ensures low friction and a compact compression bearing for extra performance. The 800PG sized gearbox is fitted with 8+1 waterproof bearings while the larger sizes are fitted with 10+1 waterproof bearings, allowing for comfortable traction. The Dual Propulsion Anti-Twist Line Roller combats drag and offers lighter rotation than conventional mechanisms. Undoubtedly one of Bullzen's leading mechanisms!

Specification For Model Bullzen Iguana Velocity 800

- Super Light Composite Body And Rotor
- Screw-in handle system
- 8+1 Stainless Steel Ball Bearings
- Stainless Steel Instant Anti-Reverse
- Special Gear Drive Mechanism For Ultra-Light Handle Rotation and Super-Smooth Feeling
- Dual Propulsion Anti-Twist Line Roller
- Double Anodized Machined Aluminium Spool
- CNC Machined Aluminium Handle And Carbon Handle Knob
- Special Spool Design For Longer Line Cast
- 3 kg Strong Multi-Disc Carbon Drag Washerst
- Light-weight Specification for Model Bullzen Iguana Velocity SW2500/3500/4500/4500H/5500/5500H
 - Salt Water Reels
 - Triple Anodized Machined Aluminium Spool
 - Hardened Aluminium Body Structure
 - 10+1 Stainless Steel Ball Bearings
 - Stainless Steel Instant Anti-Reverse
 - Dual Propulsion Anti-Twist Line Roller
 - Strong Multi-Disc Carbon Drag Washers
 - Stainless Steel Main Shaft and Main Gear Shaft
 - Right/Left Exchangeable Direct Drive Machined Aluminium Handle
 - Special Gear Drive Mechanism For Ultra-Light Handle Rotation and Super-Smooth Feeling
 - Light-weight Body

Content: Fishing Reel & Handle / Fishing Reel Diagram / Reel Pouch



ΜΟΝΤΕΛΟ	ΣΧΕΣΗ ΜΕΤΑΔΟΣΗΣ	ΡΟΥΛΕΜΑΝ	ΒΑΡΟΣ (G)	ΔΥΝΑΜΗ ΦΡΕΝΩΝ (KG)	ΧΩΡΗΤΙΚΟΤΗΤΑ ΝΗΜΑΤΟΣ (PE)	ΧΩΡΗΤΙΚΟΤΗΤΑ ΠΕΤΟΝΙΑ	ΤΥΠΟΣ
BULLZEN IGUANA VELOCITY 800PG	5.2:1	8+1	178	3	0.8/130m, 1/100m	0.148mm/130m, 0.165mm/100m	SPINNING
BULLZEN IGUANA VELOCITY SW2500PG	5.2:1	10+1	281	16	1.5/240m, 2.0/200m	0.235mm/240m, 0.26mm/200m	SPINNING
BULLZEN IGUANA VELOCITY SW3500PG	5.2:1	10+1	288	16	2.0/250m, 2.5/210m	0.26mm/250m, 0.285mm/210m	SPINNING
BULLZEN IGUANA VELOCITY SW4500H	6.4:1	10+1	335	22	2.5/280m, 3.0/240m	0.285mm/280m, 0.31mm/240m	SPINNING
BULLZEN IGUANA VELOCITY SW5500H	6.4:1	10+1	348	22	3.5/270m, 4.0/240m	0.31mm/270m, 0.33mm/240m	SPINNING

[Read More](#)

SKU:

Price: €205.00
€164.00

Categories: [MECHANISMS](#)

Product Description

Iguana Velocity Spinning Reel: If you are looking for the ultimate tool for our fishing, the IGUANA VELOCITY is here to meet all your needs. With high quality construction and outstanding performance, this reel is the ultimate machine for Salt Water conditions. The mechanism is equipped with the Precision Module Gear, a high precision mechanism designed to cut every gear tooth and shape with absolute precision. In addition, to completely eliminate noise and irregularity during traction, it has a silent mechanism that improves and minimizes irregularity resulting in a smooth motion. All components are mainly made of stainless steel and aluminum, and it is equipped with salt-resistant grease to protect against corrosion and maintain the smooth movement of the mechanism. The carbon handle offer comfort and feel that cannot be matched. The steel main gear shaft ensures low friction and a compact compression bearing for extra performance. The 800PG sized gearbox is fitted with 8+1 waterproof bearings while the larger sizes are fitted with 10+1 waterproof bearings, allowing for comfortable traction. The Dual Propulsion Anti-Twist Line Roller combats drag and offers lighter rotation than conventional mechanisms. Undoubtedly one of Bullzen's leading mechanisms! Specification For Model Bullzen Iguana Velocity 800

- Super Light Composite Body And Rotor
- Screw-in handle system
- 8+1 Stainless Steel Ball Bearings
- Stainless Steel Instant Anti-Reverse
- Special Gear Drive Mechanism For Ultra-Light Handle Rotation and Super-Smooth Feeling
- Dual Propulsion Anti-Twist Line Roller

- Double Anodized Machined Aluminium Spool
- CNC Machined Aluminium Handle And Carbon Handle Knob
- Special Spool Design For Longer Line Cast
- 3 kg Strong Multi-Disc Carbon Drag Washerst
- Light-weight Specification for Model Bullzen Iguana Velocity SW2500/3500/4500/4500H/5500/5500H
 - Salt Water Reels
 - Triple Anodized Machined Aluminium Spool
 - Hardened Aluminium Body Structure
 - 10+1 Stainless Steel Ball Bearings
 - Stainless Steel Instant Anti-Reverse
 - Dual Propulsion Anti-Twist Line Roller
 - Strong Multi-Disc Carbon Drag Washers
 - Stainless Steel Main Shaft and Main Gear Shaft
 - Right/Left Exchangeable Direct Drive Machined Aluminium Handle
 - Special Gear Drive Mechanism For Ultra-Light Handle Rotation and Super-Smooth Feeling
 - Light-weight Body

Content: Fishing Reel & Handle / Fishing Reel Diagram / Reel Pouch

ΜΟΝΤΕΛΟ	ΣΧΕΣΗ ΜΕΤΑΔΟΣΗΣ	ΡΟΥΛΕΜΑΝ	ΒΑΡΟΣ (G)	ΔΥΝΑΜΗ ΦΡΕΝΩΝ (KG)	ΧΩΡΗΤΙΚΟΤΗΤΑ ΝΗΜΑΤΟΣ (ΡΕ)	ΧΩΡΗΤΙΚΟΤΗΤΑ ΠΕΤΟΝΙΑ	ΤΥΠΟΣ
BULLZEN IGUANA VELOCITY 800PG	5.2:1	8+1	178	3	0.8/130m, 1/100m	0.148mm/130m, 0.165mm/100m	SPINNING
BULLZEN IGUANA VELOCITY SW2500PG	5.2:1	10+1	281	16	1.5/240m, 2.0/200m	0.235mm/240m, 0.26mm/200m	SPINNING
BULLZEN IGUANA VELOCITY SW3500PG	5.2:1	10+1	288	16	2.0/250m, 2.5/210m	0.26mm/250m, 0.285mm/210m	SPINNING
BULLZEN IGUANA VELOCITY SW4500H	6.4:1	10+1	335	22	2.5/280m, 3.0/240m	0.285mm/280m, 0.31mm/240m	SPINNING
BULLZEN IGUANA VELOCITY SW5500H	6.4:1	10+1	348	22	3.5/270m, 4.0/240m	0.31mm/270m, 0.33mm/240m	SPINNING

